



Republic of the Philippines Department of Agriculture AGRICULTURAL CREDIT POLICY COUNCIL

28/F One San Miguel Avenue (OSMA) Bldg., San Miguel Ave cor Shaw Blvd., Ortigas Center 1605 Pasig City Tel. Nos.8634-3320 to 21; 8634-3326/ Fax Nos. 8634-3319;8584-3861



Management System ISO 9001:2015



Date: RFQ No. May 31, 2024 2024 – 33

REQUEST FOR QUOTATION (RFQ)

The Agricultural Credit Policy Council (ACPC) through the Bids and Awards Committee (BAC), intends to procure:

PROCUREMENT OF ICT EQUIPMENT AND SUBCRIPTION FOR ALERT ARBOS PROGRAM

Total Approved Budget for the Contact : PhP 439,000.00 Purchase Request/s No : 2024-05-310

Mode of Procurement : NP-Small Value Procurement (Sec. 53.9)

Interested bidders/supplier of known qualifications are hereby invited to submit quotation signed by its authorized representative at the below address and/or thru email to the following addresses:

Agricultural Credit Policy Council
28F One San Miguel Ave. Building, San Miguel
Ave. cor. Shaw Blvd., Ortigas Center, Pasig City
procurement@acpc.gov.ph
(02) 8634 33 21

Rachel A. Bustamante Head, BAC Secretariat

Supplier who will submit proposals with the Lowest Calculated quotations shall be selected. A copy of below list of requirements shall be submitted on or before **June 10, 2024 (Monday)**, **5PM**.

Documentary Requirements:

- 1. Mayor's/Business Permit (in case of expired permit, submit a copy of recently expired permit and Official Receipt as proof of renewal)
- 2. PhilGEPS Registration Certificate
- 3. Notarized Omnibus Sworn Statement
- 4. List of ongoing and completed contracts with contact details (email and telephone no.)

INSTRUCTION TO SUPPLIER

- Submit your quotation using the prescribed **Quotation** Form (Annex A of the RFQ).
- Accomplish the Quotation Form and do not alter the contents of the form in any way.
- Non-compliance with the submission of the <u>accomplished prescribed/standard Quotation Form</u> and <u>Documentary Requirements within the prescribed</u> <u>deadline</u> shall automatically be disqualified.

Very truly yours,

MSCasuga MSCasuga (Jun 1, 2024 15:15 GMT+8)

DIR. MAGDALENA S. CASUGA

BAC CHAIRPERSON

furanus Bustamante (Jun 1, 2024 14:44 GMT+8)

QUOTATION FORM

Name of	:
Company	
Address	:
Contact Person	:
Contact Number	:
Email address	:

After having carefully read and accepted the Terms and Conditions of this RFQ specified Annex B, hereunder is our quotation/s for the item as follows:

PROCUREMENT OF ICT EQUIPMENT AND SUBCRIPTION FOR ALERT ARBOS PROGRAM (ABC: PhP 439,000.00) **OFFER ITEM DESCRIPTION** QTY **UNIT** ABC/Item **Unit Cost** Total A. ICT EQUIPMENT: 1 Smart TV 1 P 45,000.00 unit 2 Conference Speaker 1 unit P 11,000.00 3 Conference Camera 1 unit P 13,000.00 4 Tablet 4 units P 240,000.00 WiFi Printer 2 5 units P 100,000.00 B. ICT SUBSCRIPTION: 6 Online Office Productivity 3 lic P 30,000.00 Refer to "Annex C" for the Technical Specification Note: Please specify the brand you intend to offer. ** Nothing Follows** **TOTAL COST** (Price Proposal must be VAT Inclusive)

I hereby certify to comply and deliver all the above requirements.

Signature over Printed Name
Position and Designation
Date

TERMS AND CONDITION

I. VALIDITY OF PRICE QUOTATIONS AND OTHER IMPORTANT REMINDERS

- Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies Payable.
- Price validity shall be valid for a period of thirty (30) calendar days from the date of submission.
- Warranty shall be for a minimum of three (3) months for supplies & materials; one (1) year for equipment, three (3) years for IT equipment from date of acceptance by the end-user.
- Quotations exceeding the Approved Budget for the Contract shall be rejected.
- The bidders are required to submit brochures, pictures and technical data pertaining to the brand and model of the item being offered.
- In case two or more bidders are determined to have submitted the Lowest Calculated Quotation, ACPC shall adopt a tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- Award of Contract shall be made to the supplier/bidder with the lowest quotation and who has complied with the minimum technical specifications and other terms and conditions stated herein.

II. DOCUMENTARY REQUIREMENTS

The following Eligibility Requirement must be submitted along with your quotation:

- a. Mayor's/Business Permit
- b. PhilGEPS Registration Certificate
- c. Omnibus Sworn Statement
- d. List of ongoing and completed contracts with contact details (email and telephone no.)

III. DELIVERY SCHEDULE AND ACCEPTANCE

- The Service Provider/Supplier must complete all works within thirty (30) days from the conforme/approval of the Purchase Order (PO).
- The items shall be delivered according to the requirements specified herein.
- ACPC shall have the right to inspect and/or to test the goods to confirm their conformity to the specifications. Supplier shall, within 3 calendar days from notice, replace all defective items at no cost to the ACPC.

IV. PAYMENT TERMS AND LIQUIDATED DAMAGES

 Payment shall only be processed after the submission of billing statement/invoice and upon completion of delivery of all services listed in the Purchase Order/ Contract as well as upon inspection and acceptance of the goods by the end-user.

of the goods by the cha aser.		
	PAYMENT DETAILS:	
Banking Institution:		
Account Number:		
Account Name:		
Branch		

• Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay.

V. DEADLINE OF SUBMISSION

Quotations duly signed by the supplier's authorized representative should be submitted to the <u>BAC Secretariat</u> not later than <u>June 10, 2024 (Monday),5PM</u> through a sealed envelope at the ACPC office in 28F One San Miguel Ave. Building, San Miguel Ave. cor. Shaw Blvd., Ortigas Center, Pasig City or through email. Quotations submitted after the said deadline shall not be accepted and considered. Any erasures or overwriting shall be valid only if these are signed or initialed by the bidder or his/her authorized representative/s.

I hereby declare that I understand and acknow	viedge the terms and conditions listed.
---	---

Signature over F	Printed Name
Position and	Designation
Da	te

TECHNICAL SPECIFICATION

A. ICT EQUIPMENT

1. Smart TV

PICTURE

Display Resolution: UHD 3840 x 2160 Video Processing: Chameleon Extreme

Backlight Module: Direct Led Live Colour: DCI-P3 90% (Typ.) Deep Color: 1.07 billion colors

Intelligent Image Enhancer: Chipset built-in Intelligent MPEG Noise Reduction: Yes

Viewing Angle: 178 Degree Screen Format: 16:09

Picture Mode: Vivid/standard/Sport/Movie/User/Energy Saving

3D Comb Filter: yes

AUDIO

Bluetooth Audio: Yes Adaptive Sound: Yes Sound Output: 2*10W Speaker Type: Down Firing Sound Mode: Dolby ATOMS Surround Mode: Dolby ATOMS

Sound Enhancer: Yes

Dolby: Yes

Simulated Stereo: Yes

Stereo Systems: DTS Studio Sound

TERMINALS HDMI: 3(2.0) USB 2.0: 2(2.0)

Ethernet Connection: 1 Composite Video Input (s): 1

RF Connection Input(s): Cable & Air

Digital Audio Output (s): 1 NETWORK FEATURES

Wifi: Yes

Web Browser: Yes Video Search: Yes Media remote: Yes

Mobile to TV - Mirroring, DLNA: Chromecast

GENERAL

Power Requirements: 100-240V Power Consumption: 200w

Dimension (WxHxD) mm with Stand: 1445*907*283 Dimension (WxHxD) inches with Stand: 57*35.5*20.1 Dimension (WxHxD) mm without Stand: 1445*98*838 Dimension (WxHxD) inches without Stand: 57*38.8*32.8

Weight with stand (kg): Approx. 18.6 Weight without stand (kg): Approx. 18.2

Package Dimension (W X H X D) 1600*185*955

Gross Weight (kg) 24.9

OTHERS: EER, Flicker Free, Borderless V4

2. Conference Speaker

Audio

Microphone type Omnidirectional microphone

Microphone frequency range USB mode & BT mode 150Hz to 6.5KHz

Microphone pick up range Up to 1.5m

Speaker size Ø 50mm x 22.6mm

Speaker frequency range Wideband - Response from 250Hz to 14KHz

Speaker bandwidth - Music mode Wideband - Response from 250Hz to 14KHz

Speaker bandwidth - Conference mode 250Hz to 7.5kHz (wideband), 250Hz to 3.5kHz (narrowband)

Ease of Use

Echo cancellation In-built echo cancellation with 360 degree/1 meter coverage

Call control Built-in call control for easy call handling

LED indicators Exact status indicators (mute and volume)

Battery status icon Battery charged by USB connection

Battery

Battery included Yes (rechargeable lithium-ion)

Charging time Approximately 2 hours

Talk time Up to 15 hours (phone/network dependent)

Standby time Over 200 days with Automatic power off feature

3. Conference Camera

All-in-one design combines HD video with high-quality audio clarity: Business-grade video conferencing.

Built-in, full duplex speakerphone and noise-cancelling microphone: Allows all meeting members to hear and be heard clearly up to 6 feet away from the base.

Omni-directional mic pickup and echo cancellation audio: Makes it seem like conversations are happening in the same room.

Remote control and base button control options: Quickly control camera pan, tilt and zoom and

volume up/down, mute and answer/hang-up functions during call.

1080p HD up to 30 fps: Business-quality video.

Broad application compatibility: works with most video conferencing platforms.

Plug-and-play compatibility: Helps ensure plug-and-play functionality across many video conferencing platforms.

High-quality webcam sensor: Improves visual quality in low light and backlit situations. Autofocus and razor-sharp optics: Enhance face-to-face collaboration. Remarkable video quality with superb resolution, speed, fluidity, color balance, and detail.

78-degree field of view and 180-degree video pan

Camera height extender

Video

1080p 30fps 78-degree FOV H.264 UVC 1.1 / AVC PTZ

Audio

Omnidirectional mic pickup

6ft mic pickup radius

Microphone bandwidth: 200Hz - 8kHz

Bandwidth: 220Hz - 20kHz

Max output level: 80vdB SPL @ 1ft (0.30 meters)

4. Tablet

Finish: Silver Capacity: 1TB Wi-Fi models

> Width: 7.02 inches (178.5 mm) Height: 9.74 inches (247.6 mm) Depth: 0.23 inch (5.9 mm) Weight: 1.03 pounds (466 grams)

Wi-Fi + Cellular models

Width: 7.02 inches (178.5 mm) Height: 9.74 inches (247.6 mm) Depth: 0.23 inch (5.9 mm)

Weight: 1.04 pounds (470 grams)

In the Box:

USB-C Charge Cable (1 meter) 20W USB-C Power Adapter

2 pcs USB-C Digital AV Multiport Adapter

Display: Liquid Retina display

11-inch (diagonal) LED backlit Multi-Touch display with IPS technology

2388-by-1668-pixel resolution at 264 pixels per inch (ppi)

ProMotion technology Wide color display (P3) True Tone display

Fingerprint-resistant oleophobic coating

Fully laminated display Antireflective coating 1.8% reflectivity

SDR brightness: 600 nits max

Chip:

8-core CPU with 4 performance cores and 4 efficiency cores

10-core GPU

16-core Neural Engine

100GB/s memory bandwidth

16GB RAM on models with 1TB or 2TB storage

Media engine

Hardware-accelerated H.264, HEVC, ProRes, and ProRes RAW

Video decode engine Video encode engine

ProRes encode and decode engine

Camera:

Pro camera system: Wide and Ultra Wide cameras

Wide: 12MP, f/1.8 aperture

Ultra Wide: 10MP, f/2.4 aperture, and 125° field of view

2x optical zoom out Digital zoom up to 5x

Five-element lens (Wide and Ultra Wide)

Brighter True Tone flash Panorama (up to 63MP) Sapphire crystal lens cover

Autofocus with Focus Pixels (Wide)

Smart HDR 4

Wide color capture for photos and Live Photos

Lens correction (Ultra Wide) Advanced red-eye correction

Photo geotagging

Auto image stabilization

Burst mode

Image formats captured: HEIF and JPEG

Video Recording:

4K video recording at 24 fps, 25 fps, 30 fps, or 60 fps (Wide)

1080p HD video recording at 25 fps, 30 fps, or 60 fps

720p HD video recording at 30 fps

ProRes video recording up to 4K at 30 fps (1080p at 30 fps for 128GB storage)

2x optical zoom out

Audio zoom

Brighter True Tone flash

Slo-mo video support for 1080p at 120 fps or 240 fps

Time-lapse video with stabilization

Extended dynamic range for video up to 30 fps

Cinematic video stabilization (4K, 1080p, and 720p)

Continuous autofocus video

Playback zoom

Video formats recorded: HEVC and H.264

Stereo recording

TrueDepth Camera:

12MP Ultra Wide camera, 122° field of view

f/2.4 aperture

Portrait mode with advanced bokeh and Depth Control

Portrait Lighting with six effects (Natural, Studio, Contour, Stage, Stage Mono,

High-Key Mono) Animoji and Memoji

Smart HDR 4

1080p HD video recording at 25 fps, 30 fps, or 60 fps

Time-lapse video with stabilization

Extended dynamic range for video up to 30 fps

Cinematic video stabilization (1080p and 720p)

Wide color capture for photos and Live Photos

Lens correction

Retina Flash

Auto image stabilization

Burst mode

Speakers:

Four speaker audio

Microphones:

Five studio-quality microphones for calls, video recording, and audio recording Display Support:

Supports full native resolution on the built-in display at millions of colors

Supports one external display with up to 6K resolution at 60Hz

Thunderbolt 3 digital video output

Native DisplayPort output over USB-C

VGA, HDMI, DVI, and Thunderbolt 2 output supported using adapters (sold separately)9

Video mirroring

Up to 4K

Video mirroring and video out support through USB-C Digital AV Multiport Adapter and USB-C VGA Multiport Adapter (adapters sold separately)

Power and Battery:

Built-in 28.65-watt-hour rechargeable lithium-polymer battery

Charging via power adapter or USB-C to computer system

Wi-Fi + Cellular models

Up to 9 hours of surfing the web using cellular data network

Operating System: IPadOS

Accessibility: Built-in accessibility features supporting vision, mobility, hearing, and cognitive disabilities

5. WiFi Printer

Technology

Nozzle Configuration: 800 Nozzles Black, 256 Nozzles per Color

Minimum Droplet Size: 3,8 pl

Printing Resolution: 4.800 x 2.400 DPI All-in-One Functions: Print, Scan, Copy, Fax

Paper/Media Handling

Number of paper trays: 3

Paper Formats: A3+, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6

(10.5x14.8 cm), B6, DL (Envelope), No. 10 (Envelope)

Duplex: Yes (A4/A3, plain paper)

Automatic Document Feed: 50 pages Output Tray Capacity: 125 Sheets

Paper Tray Capacity: 250 Sheets Standard Compatible Paper Weight: 64 g/m² - 255 g/m²

Media Handling: ADF 2-sided copy (A4/A3, plain paper), ADF 2-sided fax (A4/A3, plain paper), ADF 2-sided scan (A4/A3, plain paper), Automatic duplex (A4/A3, plain paper), Borderless Print

Print

Printing Speed ISO/IEC 24734: 25 pages/min Monochrome, 12 pages/min Colour Printing Speed: 32 pages/min Monochrome (plain paper 75 g/m²), 22 pages/min Colour (plain paper 75 g/m²)

Duplex Printing Speed ISO/IEC 24734: 16 A4 Pages/min Monochrome, 9 A4 Pages/min Colour

First Page Out: Monochrome 5,5 Seconds, Colour 8,5 Seconds

Colours: Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta [Pigment]

Scan

Double-sided scanning: Yes

Single-sided scan speed (A4 black): 26 ipm with ADF scan 5 sec. with flatbed scan Doubled-sided scan speed (A4 black): 11,5 ipm with ADF scan

Single-sided scan speed (A4 colour): 9 ipm with ADF scan 10 sec. with flatbed scan

Doubled-sided scan speed (A4 colour): 6 ipm with ADF scan Optical Resolution: 2.400 DPI x 1.200 DPI (Horizontal x Vertical)

Output formats: BMP, JPEG, TIFF, multi-TIFF, PDF, PNG

Scanner type: Contact image sensor (CIS)

B. ICT SUBSCRIPTION

6. Online Office Productivity

- For one person
- Sign in to five devices at once
- Use on PCs, Macs, phones, and tablets
- 1 TB of cloud storage
- Apps with premium features and offline access
- Data and device security
- · Ad-free, secure email